



Laserliner®

DampFinder



Wood and construction moisture measuring device



- **Versatile measuring device:** As well as being used to detect moisture in soft construction materials such as gypsum or plaster, this device is particularly well suited to performing fast checks when working with wood.
- **Checks that firewood is dry** in order to save energy and reduce pollutants.
- **Simple handling:** Insert the electrode spikes into the material and read the measured value from the LCD immediately.
- **Simple one-button operation**
- **Stable, ergonomic housing:** The device can be comfortably held in one hand, meaning that the measuring spikes can be safely inserted.
- **LCD with bar display:** Measured values (wood and building moisture) can be read quickly from the large clear dual scale.
- **Self-test function:** A reference measurement in the protective cap verifies the accuracy of the measuring device.
- **Removable protective cap** to protect the measuring spikes against damage during transport.
- **Auto power off**
- **Low battery display**

TECHNICAL DATA

MATERIALS

Wood, gypsum, plasterboard, plaster, aerated concrete

MEASUREMENT RANGE / ACCURACY (relative material moisture)

WOOD ± 1% (6 ... 30%)
± 2% (30 ... 44%)

BUILDING MATERIALS
± 0.5% (0,2 ... 2,2%)

OPERATING TEMPERATURE
0° – 40°C

MAX. RELATIVE HUMIDITY 85 %

POWER SUPPLY 3 x lithium 3 V CR2032

WEIGHT 0.165 kg

DIMENSIONS (W x H x D)
60 x 115 x 30 mm



Large, clear LCD



Simple one-button operation



Protective cap with self-test function



DampFinder

+ batteries (3 x 3V CR2032)

+ protective cap with self-test function

Packing dimension (W x H x D)
107 x 234 x 44 mm

ARTICLE	ARTICLE NO	EAN-CODE	PU
DampFinder	082.010A	4 021563 664955	5

3x
CR 2032